

Audi Q3 Standard Safety Equipment

2018





Adult Occupant



95%

Child Occupant



Safety Assist

86%

Vulnerable Road Users



76%



85%

SPECIFICATION

Tested Model	Audi Q3 2.0 TDI, 4x4, LHD
Body Type	- 5 door SUV
Year Of Publication	2018
Kerb Weight	1646kg
VIN From Which Rating Applies	- all Q3s
Class	Small Off-Road

SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	•	•	_
Belt pretensioner	•	•	•
Belt loadlimiter	•	•	•
Knee airbag	×	×	_
SIDE CRASH PROTECTION			
Side head airbag	•	•	•
Side chest airbag	•	•	0
Side pelvis airbag	•	•	0



SAFETY EQUIPMENT (NEXT)

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix		0	•
Integrated CRS		×	×
Airbag cut-off switch		•	_
SAFETY ASSIST			
Seat Belt Reminder	•	•	•

OTHER SYSTEMS	
Active Bonnet (Hood)	×
AEB Pedestrian	•
AEB Cyclist	•
AEB City	•
AEB Inter-Urban	•
Speed Assistance System	•
Lane Assist System	•

Note: Other equipment may be available on the vehicle but was not considered in the test year.

Fitted to the vehicle as standard	Fitted to the vehicle as part of the safety pack
I FILLEU LO LITE VETILLE AS SLATIUATU	I I FILLED LO LITE VEHICLE AS DATE OF LITE SAFELY DACK

O Not fitted to the test vehicle but available as option or as part of the safety pack X Not available — Not applicable







Total 36.2 Pts / 95%
















Total 36.2 Pts / 95%




AEB City

4 / 4 Pts











Total 36.2 Pts / 95%

Comments

The passenger compartment of the Q3 remained stable in the frontal offset test. Dummy readings indicated good protection of the knees and femurs of the driver and passenger. Audi showed that a similar level of protection would be provided to occupants of different sizes and to those sitting in different positions. In the full-width rigid barrier test, protection of the chest was adequate for both the driver and rear passenger, and protection of all other critical body areas was good. In both the side barrier impact and the more severe side pole test, maximum points were scored, with good protection of all critical body areas. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. A geometric assessment of the rear seats also indicated good whiplash protection. The standard-fit autonomous emergency braking system performed well in tests of its functionality at the low speeds, typical of city driving, at which many whiplash injuries are caused.



Total 42.5 Pts / 86%

Crash Test Performance based on 6 & 10 year old children

23.5 / 24 Pts





Restraint for 6 year old child: *Takata Child Youngster Plus*Restraint for 10 year old child: *Takata Child Youngster Plus* **Safety Features**

7 / 13 Pts

	Front Passenger	2nd row outboard	2nd row center
Isofix	0	•	×
i-Size	×	•	×
Integrated CRS	×	×	×

Fitted to test car as standard

O Not on test car but available as option

🗶 Not available

CRS Installation Check

12 / 12 Pts

Install without problem
Install with care
Safety critical problem
Installation not allowed


i-Size CRS












Total 42.5 Pts / 86%

ISOFIX CRS







Britax Römer KidFix XP (ISOFIX)



Universal Belted CRS







Britax Römer KidFix XP (Belt)





Total 42.5 Pts / 86%

		Seat Position		
	Front	Front 2nd row		
	PASSENGER	LEFT	CENTER	RIGHT
Maxi Cosi 2way Pearl & 2wayFix (rearward) (iSize)		•		•
Maxi Cosi 2way Pearl & 2wayFix (forward) (iSize)		•		•
BeSafe iZi Kid X2 i-Size (iSize)		•		•
Maxi Cosi Cabriofix & FamilyFix (ISOFIX)	0	•		•
BeSafe iZi Kid X4 ISOfix (ISOFIX)		•		•
Britax Römer Duo Plus (ISOFIX)		•		•
Britax Römer KidFix XP (ISOFIX)		•		•
Maxi Cosi Cabriofix (Belt)	•	•	•	•
Maxi Cosi Cabriofix & EasyBase2 (Belt)	•	•	×	•
Britax Römer King II LS (Belt)	•	•	•	•
Britax Römer KidFix XP (Belt)	•	•	•	•

Install without problem

Install with care

Safety critical problem

★ Installation not allowed

Comments

In the frontal offset and side barrier tests, protection of the 6 and 10 year dummies was good or adequate for all critical body areas. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. All of the restraint types for which the Q3 is designed could be properly installed and accommodated in the car.





Total 36.7 Pts / 76%

GOOD	ADEQUATE	MARGINAL	WEAK	POOR	
Pedestrian Impact Pr	otection			26.6 / 36 F	ts
		Hea	ad Impact	15.8 Pts	
		Pel	vis Impact	4.8 Pts	
		Leg	Impact	6 Pts	

on Warning

Comments

The protection provided by the bonnet to the head of a struck pedestrian was predominantly good or adequate, with some areas of poor protection only on the stiff windscreen pillars. The bumper provided good protection to pedestrians' legs at all test locations. Protection of the pelvis was mixed. The AEB system is able to detect vulnerable road users such as pedestrians and cyclists. In most tests of these functionalities, the system performed well, with collisions avoided or their severity mitigated, even at night-time in the case of pedestrians.



Total 36.7 Pts / 76%

AEB Pedestrian

Day time

Adult crossing the road



Child running from behind parked vehicles



Adult along the roadside




Night time

Adult crossing the road



Adult along the roadside



AEB Cyclist


Cyclist crossing



Cyclist along the roadside








PERFORMANCE	
Emergency Lane Keeping GOOD	
Lane Keep Assist GOOD	
Human Machine Interface GOOD	





Total 11.1 Pts / 85%

AEB Interurban




System Name	Audi Pre Sense Front
Type Autonomous Emergency Braking and Forward Collision Warning	
Operational From	5 km/h
Additional Information	Supplementary warning and Restraint activation

Comments


The Q3 has a seatbelt reminder system for the front and rear seats. The AEB system performed well or adequately in various tests of its functionality at highway speeds. A standard-fit lane-keep assist system helps to keep the car from drifting out of lane and can also intervene in more severe emergency situations. A driver-set speed limiter helps the driver maintain control of the vehicle speed.

Autobrake function only


Approaching a slower moving car




Approaching a slower moving car



Approaching a slower moving car



Approaching a braking car









Total 11.1 Pts / 85%

Driver reacts to warning


Approaching a stationary car




Approaching a stationary car




Approaching a slower moving car




Approaching a braking car



Approaching a stationary car



Approaching a slower moving car



Approaching a slower moving car





RATING VALIDITY

Variants of Model Range

Body Type	Engine	Model Name/Code	Drivetrain	Rating Applies	
				LHD	RHD
5 door SUV	1.4 petrol	Q3 35 TFSI	4 x 2	✓	✓
5 door SUV	1.5 petrol	Q3 35 TFSI	4 x 2	✓	✓
5 door SUV	2.0 diesel	Q3 35 TDI	4 x 2	✓	✓
5 door SUV	2.0 petrol	Q3 35 TFSI	4 x 2	✓	✓
5 door SUV	2.0 diesel	Q3 35 TDI Quattro*	4 x 4	✓	✓
5 door SUV	2.0 diesel	Q3 40 TDI Quattro	4 x 4	✓	✓
5 door SUV	2.0 petrol	Q3 40 TFSI Quattro	4 x 4	✓	✓
5 door SUV	2.0 petrol	Q3 45 TFSI Quattro	4 x 4	✓	✓

^{*} Tested variant

Annual Reviews and Facelifts

Date	Event	Outcome	
December 2018	Rating Published	2018 * * * * *	✓